



MS



Estrogen and Myc negatively regulate expression of the EphA2 tyrosine kinase.

J Cell Biochem. 2002;85(4):714-20.

PMID: 11968011 [PubMed - indexed for MEDLINE]

Wang B, Kung HJ, Bissell MJ, Kinch MS.

28: Zantek ND, Walker-Daniels J, Stewart J, Hansen RK, Robinson D, Miso H,

Related Articles, Links

breast cancer.

Clin Cancer Res, 2001 Nov;7(11):3640-8. PMID: 11705887 [PubMed - indexed for MEDLINE]

Related Articles, Links



Zeliuski DP, Zantek ND, Stewart JC, Irizarry AR, Kinch MS.

EphA2 overexpression causes tumorigenesis of mammary epithelial cells. Cancer Res. 2001 Mar 1;61(5):2301-6.

PMID: 11280802 [PubMed - indexed for MEDLINE]



["" 30: Ogawa K, Pasqualini R, Lindberg RA, Kain R, Freeman AL, Pasquale HB,

Related Articles, Links



The ephrin-A1 ligand and its receptor, EphA2, are expressed during tumor neovascularization.

Oncogene. 2000 Dec 7;19(52):6043-52.

PMID: 11146556 [PubMed - indexed for MEDLINE]

["" 31: Zantek ND, Azimi M, Fedor-Chaiken M, Wang B, Brackenbury R, Kinch MS. Related Articles, Links

MCF-10A-NeoST: a new cell system for studying cell-ECM and cell-cell interactions in

E-cadherin regulates the function of the EphA2 receptor tyrosine kinase. Cell Growth Differ, 1999 Sep;10(9):629-38.

PMID: 10511313 [PubMed - indexed for MEDLINE]

Page 2 of 2 Previous → Send to

Items 21 - 31 of 31 Display Summary

Show 20 ▼ Sort By Write to the Help Desk NCBI I NLM I NIH

Department of Health & Human Services Privacy Statement | Freedom of Information Act | Disclaimer

http://www.ncbi.nlm.nih.gov/sites/entrez